RAW SEQUENCE LISTING PATENT APPLICATION US/08/243,545

DATE: 02/23/96 TIME: 12:54:51

INPUT SET: S8938.raw

This Raw Listing contains the General Information Section and up to the first 5 pages.

1	SEQUENCE LISTING
2	(1) General Information: (i) APPLICANT: Lyman, Stewart D. Beckmann, M. Patricia (ii) TITLE OF INVENTION: Ligands for flt3/flk-2 Receptors
3	(1) General Information:
4	(i) APPLICANT: Lyman, Stewart D.
5	Beckmann, M. Patricia
6	
7	(ii) TITLE OF INVENTION: Ligands for flt3/flk-2 Receptors
8	
9	(iii) NUMBER OF SEQUENCES: 8
10 11	(in) CORRESPONDENCE ARRESCA
12	<pre>(iv) CORRESPONDENCE ADDRESS: (A) ADDRESSEE: Stephen L. Malaska, Immunex Corporation</pre>
13	(B) STREET: 51 University Street
14	(C) CITY: Seattle
15	(D) STATE: Washington
16	(E) COUNTRY: US
17	(F) ZIP: 98101
18	(1) 111 30101
19	(v) COMPUTER READABLE FORM:
20	(A) MEDIUM TYPE: Floppy disk
21	(B) COMPUTER: Apple Macintosh
22	(C) OPERATING SYSTEM: Macintosh 7.0.1
23	(D) SOFTWARE: Microsoft Word, Version #5.1
24	
25	(vi) CURRENT APPLICATION DATA:
26	(A) APPLICATION NUMBER: US 08/243,545
27	(B) FILING DATE: 11-MAY-1994
28	(C) CLASSIFICATION: 435
29	
30	(vii) PRIOR APPLICATION DATA:
31	(A) APPLICATION NUMBER: US 08/162,407
32 33	(B) FILING DATE: 03-DEC-1993
33 34	(A) APPLICATION NUMBER: 08/111,758
35	(B) FILING DATE: August 25, 1993
36	(C) CLASSIFICATION:
37	(c) Chabilitation:
38	(vii) PRIOR APPLICATION DATA:
39	(A) APPLICATION NUMBER: 08/106,463
40	(B) FILING DATE: August 12, 1993
41	(C) CLASSIFICATION:
42	
43	(vii) PRIOR APPLICATION DATA:
44	(A) APPLICATION NUMBER: 08/068,394
45	(B) FILING DATE: May 24, 1993
46	(C) CLASSIFICATION:

99

RAW SEQUENCE LISTING PATENT APPLICATION US/08/243,545

DATE: 02/23/96 TIME: 12:54:54

INPUT SET: S8938.raw

4/																	
48 49	(7	/iii	(1	A) N	AME:	Mal	aska	, st	TION ephe	n L.			٠				
50 51		٠.	•	•						32,6 ER: :		-c					
52																	
53 54		(1X)							RMAT:	ION:							
55							-		3-06			٠.					
56							6822								٠.	•	
57																	
58 59	(2)	INFC)KMA'	LTON	FOR	SEQ	ID -	NO: 1	:		٠.						
60		(i)	SE	QUEN	CE CI	HARA	CTER	ISTI	cs:								
61									pair	S							
62			-	-			leic										
63 64							ESS: line		gıe								
65			. (1), 10	JPOL(JGI.	T T 111	Ear									
66		(ii)	MOI	ECUI	LE T	YPE:	CDN	A to	mRN	A							
67								•	•								
68	. (iii)	HY	POTH	ETIC	AL: 1	NO.										
69 70		/ 1 12 1	A NT	ri-si	-MCF	N NO											
71	•	(+ v)	, AM	T-SI	TNOE	NO								•	•		
72		(ix)	FE#	ATURI	Ξ:												
73									atur	е							
74			(E	3) L(CAT:	con:	1	25									
75 76		/ 4 1	. चन	TURE	7.												
70 77		(+ x)				CEY:	mis	c fea	atur	a							
78							855										
79			•	•													
80		(ix)		TURI													
81 82			•	1) NA				750									
83			(1) L(JCAT.	rom:	57.	. /52									
84														•			
85		(xi)	SEÇ	QUENC	CE DI	ESCR:	[PTI	ON:	SEQ :	ID NO	0:1:						
86				. .													
87 88	GTCG	BACTO	GA A	ACGAC	3ACG/	AC C	rgcT(CTGT	C AC	AGGC/	ATGA	GGG	GTCC(CCG (GCAG	AG	56
89	AТG	ACA	GTG	СТС	ggg	CCA	GCC	TGG	AGC	CCA	ΔΔΤ	TCC	TCC	СТС	ጥ ጥር	стс	104
90													Ser				-01
91	1				5			•		10					15		
92																	
93													CCT				152
94 95	ьeu	ьeu	ьeu	Leu 20	ьeu	ser	PTO	cys	Leu 25	arg	СΤΆ	Tnr	Pro	Asp 30	cys	Tyr	
96	TTC	AGC	CAC		ccc	ATC	TCC	TCC		TTC	AAA	GTG	AAG		AGA	GAG	200
97													Lys				
98			35					40			-		45		,		

(2) INFORMATION FOR SEQ ID NO:2:

RAW SEQUENCE LISTING PATENT APPLICATION US/08/243,545

DATE: 02/23/96 TIME: 12:54:57

INPUT SET: S8938.raw TTG ACT GAC CAC CTG CTT AAA GAT TAC CCA GTC ACT GTG GCC GTC AAT Leu Thr Asp His Leu Leu Lys Asp Tyr Pro Val Thr Val Ala Val Asn CTT CAG GAC GAG AAG CAC TGC AAG GCC TTG TGG AGC CTC TTC CTA GCC Leu Gln Asp Glu Lys His Cys Lys Ala Leu Trp Ser Leu Phe Leu Ala CAG CGC TGG ATA GAG CAA CTG AAG ACT GTG GCA GGG TCT AAG ATG CAA Gln Arg Trp Ile Glu Gln Leu Lys Thr Val Ala Gly Ser Lys Met Gln ACG CTT CTG GAG GAC GTC AAC ACC GAG ATA CAT TTT GTC ACC TCA TGT Thr Leu Leu Glu Asp Val Asn Thr Glu Ile His Phe Val Thr Ser Cys ACC TTC CAG CCC CTA CCA GAA TGT CTG CGA TTC GTC CAG ACC AAC ATC Thr Phe Gln Pro Leu Pro Glu Cys Leu Arg Phe Val Gln Thr Asn Ile TCC CAC CTC CTG AAG GAC ACC TGC ACA CAG CTG CTT GCT CTG AAG CCC Ser His Leu Leu Lys Asp Thr Cys Thr Gln Leu Leu Ala Leu Lys Pro TGT ATC GGG AAG GCC TGC CAG AAT TTC TCT CGG TGC CTG GAG GTG CAG Cys Ile Gly Lys Ala Cys Gln Asn Phe Ser Arg Cys Leu Glu Val Gln TGC CAG CCG GAC TCC TCC ACC CTG CTC CCA AGG AGT CCC ATA GCC Cys Gln Pro Asp Ser Ser Thr Leu Leu Pro Pro Arg Ser Pro Ile Ala CTA GAA GCC ACG GAG CTC CCA GAG CCT CGG CCC AGG CAG CTG TTG CTC Leu Glu Ala Thr Glu Leu Pro Glu Pro Arg Pro Arg Gln Leu Leu CTG CTG CTG CTG CCT CTC ACA CTG GTG CTG GCA GCC GCC TGG Leu Leu Leu Leu Pro Leu Thr Leu Val Leu Leu Ala Ala Trp GGC CTT CGC TGG CAA AGG GCA AGA AGG AGG GGG GAG CTC CAC CCT GGG Gly Leu Arg Trp Gln Arg Ala Arg Arg Gly Glu Leu His Pro Gly GTG CCC CTC CCC TCC CAT CCC TAGGATTCGA GCCTTGTGCA TCGTTGACTC Val Pro Leu Pro Ser His Pro AGCCAGGGTC TTATCTCGGT TACACCTGTA ATCTCAGCCC TTGGGAGCCC AGAGCAGGAT 839 TGCTGAATGG TCTGGAGCAG GTCGTCTCGT TCCAGTCGAC

RAW SEQUENCE LISTING PATENT APPLICATION US/08/243,545

DATE: 02/23/96 TIME: 12:55:01

INPUT SET: S8938.raw

														. 11	VFUI	SEI:
153																
154	(i) SEQUENCE CHARACTERISTICS:															
155	(A) LENGTH: 231 amino acids															
156				(B) TYI	PE: a	amin	o ac	iđ							
157	(D) TOPOLOGY: linear															
158																
159		(:	ii) l	MOLE	CULE	TYP	E: p:	rote.	in '							
160		•	•				-									
161	٠.					:	٠.						· .			
162		ϵ	xi)	SEQUI	ENCE	DES	CRIP	TION	: SE	O ID	NO:	2:		•		
163		``				:				£		-				
164	Met	Thr	Val.	Leu	Ala	Pro	Ala	Trp	Ser	Pro	Asn	Ser	Ser	Len	Leu	Leu
165	1				5					10					15	
166	_				_											
167	I.e.i	T.e.11	T.e.11	T. 2 11	T.e.11	Ser	Pro	Cvs	T.611	Ara	G] v	Thr	Pro	Agn	Cve	Tyr
168	пса	LCu	200	20	шсц	DCI	110	Cys	25	AL 9	Gry	1111	110	30	Cys	- y -
169				20					23					30		
170	Dho	Cor	ui a	Cor	Dro	т1.	C-~	Co	Acr	Dho	T	1707	T	Dho	N	a 1
171	FIIe	Set		Ser	PIO	116	Ser		ASII	Pne	гаг	vaı	_	Pne	Arg	Glu
			35					40					45			
172	T	m1		***	T	T	T			~		ml				
173	Leu		Asp	HIS	Leu	Leu	_	ASP	Tyr	Pro	vaı		vат	АТА	val	Asn
174		50					55					60				
175			_		_	•	_	_		_			÷		_	
176		GIN	Asp	GLu	Lys		Cys	Lys	Ala	Leu	·	Ser	Leu	Phe	Leu	Ala
177	65					70					75					80
178	_			_	_	_			_	_						
179	Gln	Arg	Trp	Ile		Gln	Leu	Lys	Thr	Val	Ala	Gly	Ser	Lys	Met	Gln
180					85					90					95	
181																
182	Thr	Leu	Leu	Glu	Asp	Val	Asn	Thr	Glu	Ile	His	Phe	Val	Thr	Ser	Cys
183				100					105					110		
184																
185	Thr	Phe	Gln	Pro	Leu	Pro	Glu	Cys	Leu	Arg	Phe	Val	Gln	Thr	Asn	Ile
186			115					120					125			
187																
188	Ser	His	Leu	Leu	Lys	Asp	Thr	Cys	Thr	Gln	Leu	Leu	Ala	Leu	Lys	Pro
189		130			_	_	135	_				140			_	
190																
191	Cys	Ile	Gly	Lys	Ala	Cys	Gln	Asn	Phe	Ser	Arq	Cys	Leu	Glu	Val	Gln
192	145		-	-		150					155	-				160
193																
194	Cvs	Gln	Pro	Asp	Ser	Ser	Thr	Leu	Leu	Pro	Pro	Ara	Ser	Pro	Ile	Ala
195	- 2 -				165					170		5			175	
196															-,-	
197	T.e.11	Glu	Δla	Thr	Glu	T.611	Pro	Glu	Pro	Ara	Pro	Ara	Gln	T. 611	T.011	Leu
198	u	JIU	u	180	- <u>-u</u>		- 10	OLU	185	y	110	y	<u> </u>	190	Leu	LGU
199				100				,	100					190		
200	Lou	Len	Len	Leu	Low	Dro	Lou	Thr	Lou	บอา	Lon	T 011	λla	λ 1 ~	λ1 -	mr~
200	Leu	ьeu	195	ьeu	теп	PIO	теп	200	ned	AGT	тяп	ьeu		ATG	ATG	ттр
201			132					200					205			
	43	T	A r	m	a 1	A:	×1 -	3	1	3	a1 -	~ 1	T	77/ -	D	a1
203	GTÀ		arg	тгр	GIN	arg		arg	arg	Arg	стλ		ьeu	HIS	Pro	Gly
204		210					215					220				
205																

RAW SEQUENCE LISTING PATENT APPLICATION US/08/243,545

DATE: 02/23/96 TIME: 12:55:04

INPUT SET: S8938.raw

	•	INPUT S	E1: 58938.raw
206 207	Val Pro 1 225	Leu Pro Ser His Pro 230	
	225	230	
208		·	
209	(2)	INFORMATION FOR SEQ ID NO:3:	
210			
211	(i)	SEQUENCE CHARACTERISTICS:	
212	• •	(A) LENGTH: 24 base pairs	•
213		(B) TYPE: nucleic acid	
214	1 14.4	(C) STRANDEDNESS: single	
215		(D) TOPOLOGY: linear	
		(b) ToroLogi: Illiear	
216			•
217	(111)	HYPOTHETICAL: NO	
218			
219	(iv) <i>i</i>	ANTI-SENSE: NO	
220			
221	(xi)	SEQUENCE DESCRIPTION: SEQ ID NO:3:	
222	, ,		
223	TCGACTGG	AA CGAGACGACC TGCT	24
224	TOOMOTOO.	an cononconto 1001	. 24
225			
	/O\ TNDO	DIVERTOR FOR AND TO WAR	
226	(2) INFO	RMATION FOR SEQ ID NO:4:	
227			
228	(i)	SEQUENCE CHARACTERISTICS:	
229		(A) LENGTH: 20 base pairs	
230		(B) TYPE: nucleic acid	•
231		(C) STRANDEDNESS: single	
232		(D) TOPOLOGY: linear	
233	((5)	
234	/1111	HYPOTHETICAL: NO	
235	(111)	miroinelical. No	
		11M2 GH1GH 11A	
236	(17)	ANTI-SENSE: NO	
237			
238	(Xi)	SEQUENCE DESCRIPTION: SEQ ID NO:4:	
239			
240	AGCAGGTC	GT CTCGTTCCAG	20
241			
242	(2) INFO	RMATION FOR SEQ ID NO:5:	
243	(-,		
244	/ 1 \	SEQUENCE CHARACTERISTICS:	
244	(1)		
		(A) LENGTH: 988 base pairs	
246		(B) TYPE: nucleic acid	
247		(C) STRANDEDNESS: single	
248		(D) TOPOLOGY: linear	
249			
250	(ii)	MOLECULE TYPE: cDNA to mRNA	
251	,,		
252	/iii\	HYPOTHETICAL: NO	
253	(/	111 ONLINE TOURS HO	
		ANTE CENCE. NO	
254	(17)	ANTI-SENSE: NO	•
255			
256	(ix)	FEATURE:	
257		(A) NAME/KEY: CDS	
258		(B) LOCATION: 30734	